

S-BIO-SP-KP-W

S-BIO-SP-KP-W

**SensorBio fingerprint reader with internal SensorProx card reader & keypad
Built in Ethernet Connection for template management.**

Sensor introduces BioLite Net, the world's smallest IP-based fingerprint terminal with time attendance and access control capability.

With rugged IP65 rated waterproof structure, it offers extra durability and it's perfect for outdoor installation.

From simple door control to complex networked environment, S-BIO-SP-KP-W supports full functionality of time attendance and access control.

All features comes in an elegantly designed, slick and slim device.

Features

Rugged structure for outdoor installation and extra durability

IP65 rated waterproof and weatherproof structure

Fast and accurate fingerprint identification

Award winning fingerprint algorithm (No.1 in FVC2004 and FVC2006)

1 : 2,000 fingerprint identification in 1 second

Easy installation and connectivity

Network interface by TCP/IP or RS485

Wiegand input/output configurable up to 64 bits

Internal relay for direct lock interface (standalone control mode)

Easy operation and management

Built-in keypad and RF card reader for multi-modal user authentication (Fingerprint, PIN, card)

Template on card to store fingerprint data on a smart card

Slim and elegant design

World's smallest fingerprint terminal for time attendance and access control

Slick and Slim design for narrow spaces

Graphic LCD, Multi colour LED and multi-tone buzzer for intuitive user interface

Full access control features

Anti-passback door zones supporting 64 readers

Tamper switch and duress finger option

External relay unit

